


INSTRUMENT
APPROACH
CHART - ICAO

AD ELEV 7
TRANSITION ALTITUDE 7000

AKUREYRI TWR / APP 118,200
REYKJAVIK ACC 119,700
ATIS 136,200

BIAR - AKUREYRI
RNP Z RWY 01 (AR)



ISAVIA ANS

BIAR RNP Z RWY 01 (AR)
Recommended Coding Table

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt)	VPA/ TCH	Arc center Radius (NM)	Navigation Specification
010	IF	ASKUR	-		+10.0			A5900+				RNP 1.0 NM
020	TF	AR950	-	062 (051.8)	+10.0	12.8	L	A5600+				RNP 1.0 NM
010	IF	JARRI	-		+10.0			A5800+				RNP 1.0 NM
020	TF	AR950	-	324 (313.7)	+10.0	10.6	R	A5600+				RNP 1.0 NM
010	IF	AR950	-		+10.0			A5600+				RNP 1.0 NM
020	TF	AR951	-	029 (018.8)	+10.0	5.1		A4800+				RNP 1.0 NM
030	TF	AR952	-	029 (018.8)	+10.0	3.0		A3900+				RNP 0.5 NM
040	TF	AR953	-	029 (018.8)	+10.0	3.0		A3100+				RNP 0.5 NM
050	TF	AR954	-	034 (024.0)	+10.0	4.4				3.12°		RNP 0.3 NM *
060	RF	AR955	-		+10.0	2.5	L			3.12°	ARC01 R = 5.00	RNP 0.3 NM *
070	TF	RW01	Y	006 (355.6)	+10.0	2.3				3.12°/ 50		RNP 0.3 NM *
080	TF	AR956	-	006 (355.6)	+10.0	1.7			-230			RNP 0.3 NM *
090	RF	AR957	-		+10.0	1.2	L		-230		ARC02 R = 4.50	RNP 1.0 NM
100	TF	AR958	-	351 (340.6)	+10.0	5.1	R					RNP 1.0 NM
110	TF	AR959	-	005 (355.4)	+10.0	6.1	L					RNP 1.0 NM
120	TF	NORFI	-	337 (326.7)	+10.0	6.8	R					RNP 1.0 NM
130	TF	CUBAS	-	354 (343.6)	+10.0	10.0						RNP 1.0 NM
140	HM	CUBAS	-	174 (163.6)	+10.0		L	A4700+	-230			RNP APCH

* RNP value can be lower (see minima box in chart)

BIAR RNP Z RWY01 (AR)
Waypoint coordinates

Waypoint Identifier	Coordinates		Display	
	LAT	LON	LAT	LON
ASKUR	651144.00N	0184130.00W	N 6511.73	W 01841.50
JARRI	651218.96N	0175925.92W	N 6512.32	W 01759.43
AR950	651933.99N	0181736.92W	N 6519.57	W 01817.62
AR951	652422.01N	0181342.15W	N 6524.37	W 01813.70
AR952	652711.79N	0181123.04W	N 6527.20	W 01811.38
AR953	653001.54N	0180903.43W	N 6530.03	W 01809.06
AR954	653400.56N	0180446.28W	N 6534.01	W 01804.77
AR955	653625.77N	0180345.58W	N 6536.43	W 01803.76
RW01	653845.03N	0180411.81W	N 6538.75	W 01804.20
AR956	654027.98N	0180431.26W	N 6540.47	W 01804.52
AR957	654136.61N	0180506.50W	N 6541.61	W 01805.11
AR958	654623.87N	0180913.46W	N 6546.40	W 01809.22
AR959	655225.66N	0181024.82W	N 6552.43	W 01810.41
NORFI	655803.08N	0181929.89W	N 6558.05	W 01819.50
CUBAS	660736.46N	0182626.48W	N 6607.61	W 01826.44
RF arc center identifiers	Coordinates		Display	
	LAT	LON	LAT	LON
ARC01	653602.12N	0181546.31W	N 6536.04	W 01815.77
ARC02	654006.67N	0181521.60W	N 6540.11	W 01815.36